Revision nr. 1

Dated 25/01/2024

First compilation

Printed on 25/01/2024

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1.5 MM BASE ED

Page n. 1/15

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code:

499ED0L

Product name Chemical name and synonym SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

THICK COATING

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

THICK COATING Intended use

Identified Uses	Industrial	Professional	Consumer	
professional	-	<b>4</b>	-	
private	-	-	<b>✓</b>	
Llace Advised Against			·	

#### Uses Advised Against

Nobody known

#### 1.3. Details of the supplier of the safety data sheet

**LINVEA SRL** 

Full address Via Benedetto Croce 2/4 District and Country 80026 Casoria (Napoli)

Italia

Tel. +39 0817590922 Fax +390817597707

e-mail address of the competent person

responsible for the Safety Data Sheet laboratorio@linvea.it

Supplier:

Linvea srl

### 1.4. Emergency telephone number

For urgent inquiries refer to

Marco Marano CAV "

Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma Piazza Sant'Onofrio, 4

68593726

00165

06

Anna Lepore Az. Osp. Univ. Foggia Foggia V.le Luigi Pinto, 1 71122 800183459 Romolo Villani Via A. Cardarelli, 980131 Az. Osp. "A. Cardarelli" Napoli

081-5453333

M. Caterina GrassiCAV Policlinico "Umberto I" Roma V.le del Policlinico,

06-49978000 155 161

Alessandro Barelli CAV Policlinico "A. Gemelli" Roma Largo Agostino

Gemelli, 8 168 06-3054343

Francesco Gambassi Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze

Largo Brambilla, 350134 055-7947819

Carlo Locatelli CAV Centro Nazionale di Informazione Tossicologica Pavia Via

Salvatore Maugeri, 10 27100 0382-24444

Osp. Niguarda Ca' Granda Milano Piazza Ospedale Maggiore,3 Franca Davanzo

20162 02-66101029

Bacis Giuseppe Azienda Ospedaliera Papa Giovanni XXII Bergamo Piazza OMS,

24127 800883300

Giorgio Ricci Azienda Ospedaliera Integrata Verona Verona Piazzale

Aristide Stefani, 1 37126 800011858

Revision nr. 1

Dated 25/01/2024 First compilation

Printed on 25/01/2024

Page n. 2/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

### **SECTION 2. Hazards identification**

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin sensitization, category 1A H317 May cause an allergic skin reaction.

Hazardous to the aquatic environment, chronic toxicity, H411 Toxic to aquatic life with long lasting effects.

category 2

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

#### Hazard pictograms:





Signal words: Warning

Hazard statements:

**H317** May cause an allergic skin reaction.

**H411** Toxic to aquatic life with long lasting effects.

Precautionary statements:

**P501** Dispose of the product / container in accordance with national regulation

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P280 Wear protective gloves.

**P273** Avoid release to the environment.

P391 Collect spillage.

Contains: 2-OCTYL-2H-ISOTHIAZOL-3-ONE

2-METHYLISOTHIAZOL-3(2H)-ONE

REACTION MASS OF 5-CHLORO-2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

Revision nr. 1
Dated 25/01/2024
First compilation

Printed on 25/01/2024

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

Page n. 3/15

### 1,2-BENZISOTHIAZOLIN-3-ONE

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

## **SECTION 3. Composition/information on ingredients**

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
1,2-BENZISOTHIAZOLIN-3-ONE		
INDEX 613-088-00-6	0 ≤ x < 0,05 Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H3 Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411	
EC 220-120-9		Skin Sens. 1 H317: ≥ 0,05%
CAS 2634-33-5		LD50 Oral: 490 mg/kg
2-METHYLISOTHIAZOL-3(2H)-ONE		
INDEX 613-326-00-9	0,0015 ≤ x < 0,06	Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1, EUH071
EC 220-239-6		Skin Sens. 1A H317: ≥ 0,0015%
CAS 2682-20-4		LD50 Oral: 120 mg/kg, LD50 Dermal: 242 mg/kg, LC50 Inhalation mists/powders: 0,11 mg/l/4h
Terbutrina (2-Butilaminmino-4- ethilamino-6-Methyltio-S-Triazina)		
INDEX -	$0 \le x < 0.05$	Acute Tox. 4 H302, Skin Sens. 1B H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=1
EC 212-950-5		Skin Sens. 1B H317: ≥ 3%
CAS 886-50-0		STA Oral: 500 mg/kg
2-OCTYL-2H-ISOTHIAZOL-3-ONE		
INDEX 613-112-00-5	0,0025 ≤ x < 0,025	Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1 H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071
EC 247-761-7		Skin Sens. 1A H317: ≥ 0,0015%
CAS 26530-20-1		LD50 Oral: 125 mg/kg, LD50 Dermal: 311 mg/kg, LC50 Inhalation mists/powders: 0,27 mg/l/4h
REACTION MASS OF 5-CHLORO- 2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3- ONE (3:1)		
INDEX 613-167-00-5	0 ≤ x < 0,0015 Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100 Aquatic Chronic 1 H410 M=100, EUH071, Classification note according to Annex VI to the CLP Regulation: B	
EC - CAS 55965-84-9		Skin Corr. 1C H314: ≥ 0,6%, Skin Irrit. 2 H315: ≥ 0,06%, Skin Sens. 1A H317: ≥ 0,0015%, Eye Dam. 1 H318: ≥ 0,6%, Eye Irrit. 2 H319: ≥ 0,06% STA Oral: 100 mg/kg, LD50 Dermal: 87,12 mg/kg, LC50 Inhalation mists/powders: 0,171 mg/l/4h

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Revision nr. 1

Dated 25/01/2024

First compilation

Printed on 25/01/2024

Page n. 4/15

# 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6. Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

Revision nr. 1

Dated 25/01/2024

First compilation

Printed on 25/01/2024

Page n. 5/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

### **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

Information not available

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

Revision nr. 1

Dated 25/01/2024

First compilation
Printed on 25/01/2024

Page n. 6/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

#### RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Properties Value Information

Appearance pasty

Colour NEUTRAL BASE

Odour characteristic acrylic resin

Melting point / freezing point not available Initial boiling point not available > 35 °C Boiling range Flammability not available not available Lower explosive limit Upper explosive limit not available Flash point > 60 °C Auto-ignition temperature not available Decomposition temperature not available

pH {

Kinematic viscosity >20,5 mm2/sec (40°C)

Solubility soluble in water
Partition coefficient: n-octanol/water not available
Vapour pressure not available

Density and/or relative density 1,90

Relative vapour density not available
Particle characteristics not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Revision nr. 1

Dated 25/01/2024
First compilation

Printed on 25/01/2024

Page n. 7/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

VOC (Directive 2010/75/EU)

0,96 % - 0,96 g/litre

Explosive properties

not applicable

### **SECTION 10. Stability and reactivity**

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

### **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component) Not classified (no significant component)

Revision nr. 1
Dated 25/01/2024
First compilation

Printed on 25/01/2024

Page n. 8/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

Not classified (no significant component)

1,2-BENZISOTHIAZOLIN-3-ONE

ATE (Dermal) of the mixture:

LD50 (Dermal): > 2000 mg/kg Rat LD50 (Oral): 490 mg/kg Rat

2-OCTYL-2H-ISOTHIAZOL-3-ONE

 LD50 (Dermal):
 311 mg/kg

 LD50 (Oral):
 125 mg/kg Rat

 LC50 (Inhalation mists/powders):
 0,27 mg/l/4h Rat

2-METHYLISOTHIAZOL-3(2H)-ONE

 LD50 (Dermal):
 242 mg/kg Rat

 LD50 (Oral):
 120 mg/kg Rat

 LC50 (Inhalation mists/powders):
 0,11 mg/l/4h Rat

REACTION MASS OF 5-CHLORO-2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

 LD50 (Dermal):
 87,12 mg/kg Rabbit

 LD50 (Oral):
 457 mg/kg Rat

 LC50 (Inhalation mists/powders):
 0,171 mg/l/4h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: >20,5 mm2/sec (40°C)

Revision nr. 1

Dated 25/01/2024

First compilation

Printed on 25/01/2024

Page n. 9/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### **SECTION 12. Ecological information**

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment. Terbutrina (2-Butilaminmino-4-ethilamino-6-Methyltio-S-Triazina)

EC20:> 100 mg/l/3h

EC20 active sludge: 100 mg/l/3h

12.1. Toxicity

Terbutrina (2-Butilaminmino-4-ethilamino-6-

Methyltio-S-Triazina)

LC50 - for Fish 1,9 mg/l/96h onchorhyncus mykiss

EC50 - for Algae / Aquatic Plants 0,0067 mg/l/72h Desmodesmus subspicatus

Chronic NOEC for Fish 0,073 mg/l pimephales promelas

Chronic NOEC for Crustacea 0,05 mg/l

1,2-BENZISOTHIAZOLIN-3-ONE

LC50 - for Fish 2,15 mg/l/96h Oncorhynchus mykiss

EC50 - for Crustacea 2,9 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,11 mg/l/72h Pseudokirchneriella subcapitata
Chronic NOEC for Algae / Aquatic Plants 0,0403 mg/l Pseudokirchneriella subcapitata

2-OCTYL-2H-ISOTHIAZOL-3-ONE

EC50 - for Algae / Aquatic Plants 0,00129 mg/l/72h Navicula pelliculosa
EC10 for Algae / Aquatic Plants 0,000224 mg/l/48h Navicula pelliculosa

2-METHYLISOTHIAZOL-3(2H)-ONE

LC50 - for Fish 4,77 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 0,934 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,103 mg/l/72h Raphidocelis subcapitata

Chronic NOEC for Fish 4,93 mg/l Oncorhynchus mykiss
Chronic NOEC for Crustacea 0,044 mg/l Daphnia magna

Chronic NOEC for Algae / Aquatic Plants 0,05 mg/l Raphidocelis subcapitata

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

LC50 - for Fish 0,19 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 0,16 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,0052 mg/l/72h Skeletonema costatum

Chronic NOEC for Fish 0,02 mg/l Danio rerio
Chronic NOEC for Crustacea 0,1 mg/l Daphnia magna

Chronic NOEC for Algae / Aquatic Plants 0,00049 mg/l Skeletonema costatum

12.2. Persistence and degradability

Revision nr. 1

Dated 25/01/2024

First compilation

Printed on 25/01/2024

Page n. 10/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

Terbutrina (2-Butilaminmino-4-ethilamino-6-Methyltio-S-Triazina)

Rapidly degradable 1,2-BENZISOTHIAZOLIN-3-ONE

Solubility in water 1288 mg/l

Rapidly degradable

2-OCTYL-2H-ISOTHIAZOL-3-ONE

Solubility in water 500 mg/l

NOT rapidly degradable

2-METHYLISOTHIAZOL-3(2H)-ONE

Solubility in water 489000 mg/l

Degradability: information not available

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

Solubility in water > 10000 mg/l

NOT rapidly degradable

### 12.3. Bioaccumulative potential

### 1,2-BENZISOTHIAZOLIN-3-ONE

Partition coefficient: n-octanol/water 0,7 BCF 6,62

### 2-OCTYL-2H-ISOTHIAZOL-3-ONE

Partition coefficient: n-octanol/water 2,61 BCF 19,21

### 2-METHYLISOTHIAZOL-3(2H)-ONE

Partition coefficient: n-octanol/water -0,486 BCF 5,75

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

Partition coefficient: n-octanol/water 0,75 BCF < 54

### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

Revision nr. 1

Dated 25/01/2024 First compilation

Printed on 25/01/2024

Page n. 11/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

### **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

#### 14.1. UN number or ID number

ADR / RID, IMDG, IATA: UN 3082

ADR / RID: In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity  $\leq$  5Kg or 5L, is not

submitted to ADR provisions.

IMDG: In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or

5L, is not submitted to IMDG Code provisions.

IATA: In accordance with SP A197, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to

IATA dangerous goods regulations.

### 14.2. UN proper shipping name

ADR / RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-METHYLISOTHIAZOL-3(2H)-ONE; Terbutrina

(2-Butilaminmino-4-ethilamino-6-Methyltio-S-Triazina))

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, L'IQUID, N.O.S. (2-METHYLISOTHIAZOL-3(2H)-ONE; Terbutrina

(2-Butilaminmino-4-ethilamino-6-Methyltio-S-Triazina))

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-METHYLISOTHIAZOL-3(2H)-ONE; Terbutrina

(2-Butilaminmino-4-ethilamino-6-Methyltio-S-Triazina))

### 14.3. Transport hazard class(es)

ADR / RID: Class: 9 Label: 9

IMDG: Class: 9 Label: 9

IATA: Class: 9 Label: 9



## 14.4. Packing group

Revision nr. 1 Dated 25/01/2024

First compilation Printed on 25/01/2024

Page n. 12/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

ADR / RID, IMDG, IATA:

Ш

### 14.5. Environmental hazards

ADR / RID Environmentally

Hazardous

IMDG: Marine Pollutant

IATA: Environmentally

Hazardous



### 14.6. Special precautions for user

ADR / RID: HIN - Kemler: 90

Quantities: 5 restriction

code: (-)

Tunnel

Packaging

Packaging instructions:

964

Special provision: 274, 335, 375, 601

IMDG: EMS: F-A, S-F

Cargo:

Quantities: 5

Maximum

quantity: 450 instructions: 964

Limited

Limited

Passengers: Maximum quantity: 450

Special provision: A97, A158, A197, A215

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

### **SECTION 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

IATA:

3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Revision nr. 1

Dated 25/01/2024

First compilation
Printed on 25/01/2024

Page n. 13/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2 Acute toxicity, category 2 Acute Tox. 3 Acute toxicity, category 3 Acute Tox. 4 Acute toxicity, category 4 Skin Corr. 1B Skin corrosion, category 1B Skin Corr. 1C Skin corrosion, category 1C Skin Corr. 1 Skin corrosion, category 1 Eve Dam. 1 Serious eye damage, category 1 Skin Irrit. 2 Skin irritation, category 2

Skin Sens. 1 Skin sensitization, category 1
Skin Sens. 1A Skin sensitization, category 1A
Skin Sens. 1B Skin sensitization, category 1B

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

H310 Fatal in contact with skin.

H330 Fatal if inhaled.

Revision nr. 1 Dated 25/01/2024 First compilation

Printed on 25/01/2024

Page n. 14/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

H301 Toxic if swallowed. H311 Toxic in contact with skin. H302 Harmful if swallowed.

H314 Causes severe skin burns and eve damage.

H318 Causes serious eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

**EUH071** Corrosive to the respiratory tract.

#### EGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation) 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)

Revision nr. 1

Dated 25/01/2024

First compilation

Printed on 25/01/2024 Page n. 15/15

## 499ED0L - SUPER QUARZO SIGILLO ORO PUTZ 1,5 MM BASE ED

13. Regulation (EU) 2017/776 (X Atp. CLP)

14. Regulation (EU) 2018/669 (XI Atp. CLP)

15. Regulation (EU) 2019/521 (XII Atp. CLP)

16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)

17. Regulation (EU) 2019/1148

18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)

19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)

20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP) 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

23. Delegated Regulation (UE) 2023/707

- The Merck Index. - 10th Edition

- Handling Chemical Safety

- INRS - Fiche Toxicologique (toxicological sheet)

- Patty - Industrial Hygiene and Toxicology

- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

- IFA GESTIS website

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.